



Laboratory Report

Final Report

AP-Visions Laboratory
935 Sundrop Ct
Marco Island, FL 34145
Phone: (866)-526-7099 Fax: 706-223-6825
Lab Director: Robert Waechter, Ph.D.
CLIA:04C0567999

PATIENT INFORMATION		REQUESTER INFORMATION		SAMPLE INFORMATION	
Patient Name: Louis Pasture MRN: 510488 Patient DOB: 06/17/1938 Sample ID: 100990		Ordering Physician: Donnals Bookman Practice Name: East End Clinic Practice Address: 32145 Seaview Dr Suite 100 Goodland, FL		Specimen type: Urine Collected: 04/25/2019 08:49 AM Received: 04/25/2019 08:49 AM Reported: Ordered: 04/25/2019 08:49 AM	
REPORTED CLINICAL HISTORY - PRESCRIBED MEDICATIONS					
Diazepam [1 Day ago] , Xanax [36 Hours ago]					
CONSISTENT - RESULTS CORRELATE WITH REPORTED CLINICAL HISTORY					
Reported Medication(s)	Anticipated Positive	Amount Detected	Cut-Off na/ml	Outcome	Comments
Diazepam	Diazepam	71	50	POSITIVE	Test result is consistent and expected with reported medication Diazepam.
	Nordiazepam	None Detected	50	NEGATIVE	
	Oxazepam	None Detected	50	NEGATIVE	
	Temazepam	None Detected	50	NEGATIVE	
Xanax	alpha-Hydroxyalprazolam	73	50	POSITIVE	Test result is consistent and expected with reported medication Xanax.
	Alprazolam	91	50	POSITIVE	
INCONSISTENT - ANALYTE DETECTED BUT NO CORRESPONDING MEDICATION REPORTED					
Analyte Detected	Detection Window	Amount Detected ng/mL	Comments		
Paroxetine	Paroxetine is typically detected between 1 Day and 10 Days after last use.	61	Paroxetine was not listed as a prescribed medication.		
REPORTED MEDICATION NOT DETECTED, OR DETECTED OUTSIDE RANGE					
Reported Medication(s)	Metabolite/Parent	Detection Window	Comments		
None	None				
MEDICATIONS REPORTED BUT NOT TESTED					
None					
SPECIMEN VALIDITY					
Test	Outcome	Measured	Reference Range	Comment	
pH	NORMAL	7.10	4.00 to 9.00	None	
Specific Gravity	NORMAL	1.025	1.004 to 1.050	None	
URINE CREATININE	ABNORMAL	19	20 to 1000	None	

This entire laboratory report, including the diagnostic methods used to obtain specific results presented herein, is the property of AP-Visions Laboratories, and is protected by all applicable Federal, State, and Local laws and regulations. Use of this laboratory report and the specific diagnostic results presented herein is limited to the direct licensees of AP-Visions Laboratories, and the improper duplication, publication, and/or dissemination of the format and/or contents of this laboratory report will be considered a violation of Federal, State, and Local laws and regulations. This test was developed and its performance characteristics determined by AP-Visions Laboratories, LLC. It has not been cleared by the U.S. Food and Drug Administration.